



# HYDROTHERAPY





[sales@btlnet.com](mailto:sales@btlnet.com)  
[www.btlnet.com](http://www.btlnet.com)

All rights reserved. Although every care has been taken to provide accurate and up-to-date information, no responsibility can be accepted for any mistakes or misprints contained within this catalogue. The products and their specifications, as shown in this catalogue, may change without notice.



# HYDROTHERAPY

The new series of BTL whirlpools combines clean, elegant shapes with high-quality materials and perfect workmanship. The word “simplicity” best characterizes their design and operation. The unique features, such as the colour touch screen user-interface or the one-touch start of therapy programmes make operation extremely fast and easy. A soft blue glow gently highlights the exterior base of the baths. The baths are designed for all kinds of professional facilities. The series consists of luxurious baths for wellness centres and total-immersion whirlpools in two sizes.



AWESOME LOOK  
AWESOME



PERFORMANCE

# OMEGA

## UNBEATABLE COMFORT & LUXURY



Millions of  
bubbles for  
ultimate  
relaxation



Music option:  
Built-in sound  
system



Up to 266  
water jets



Aromatherapy and  
bath additives



Colour therapy



Pre-set protocols  
with "Hot-keys"

# RELAXATION BATHS FOR SPAS & WELLNESS CENTRES

## SUPERB ERGONOMICS WITH OPTIMALLY-POSITIONED MASSAGE JETS



### MAIN FEATURES & OPTIONS

- ◇ Comfortable operation using the colour touch display
- ◇ Ergonomic underwater massage
- ◇ Multi-zone therapy system
- ◇ 'Hot-keys' for frequently used therapies
- ◇ Pre-set therapy protocols
- ◇ Suitable for different kinds of water: Fresh, salt, carbonated or re-circulated
- ◇ Automatic disinfection programme
- ◇ High-quality acrylate bath surface for easy cleaning
- ◇ LED lighting of bath exterior
- ◇ Developed for reliability and long life

### HYDROMASSAGE

- ◇ Up to 266 water jets
- ◇ Up to 8 hydromassage zones:
  - Soles of the feet
  - Lower limbs
  - Outer calves and knees
  - Inner calves and knees
  - Buttocks
  - Outer thighs and hips
  - Lower and upper back
  - Upper limbs and shoulders

Model	Omega 10 Deluxe	Omega 20 Deluxe	Omega 30 Deluxe
Specifications			
<b>HYDROMASSAGE</b>	●	●	●
Number of hydromassage jets	104	168	266
Hydromassage of the following body zones:	2 zones	4 zones	8 zones
Soles of the feet			1
Lower limbs		1	2
Outer calves and knees		2	3
Inner calves and knees	1		4
Buttocks		3	5
Outer thighs and hips			6
Lower and upper back	2		7
Upper limbs and shoulders		4	8
Regulation of hydromassage intensity	●	●	●
Hydromassage with added air	●	●	●
<b>UNDERWATER MASSAGE</b>	○	○	○
<b>STANDARD SPECIFICATIONS &amp; OPTIONS</b>			
LCD touch display 5.7"	●	●	●
Water filling temperature indicator	●	●	●
Bath temperature indicator	●	●	●
Automatic bath filling and emptying	●	●	●
Water level indicator with acoustic signaling	●	●	●
Thermostatic mixing tap	●	●	●
Slide-in shower	●	●	●
'Hot-keys' for frequently used programmes	●	●	●
Colour therapy option (Chromatherapy)	○	○	●
Music option (Built-in sound system)	○	○	○
Automatic disinfection programme	○	○	○
Carbonated water bath (CO <sub>2</sub> saturator)	○	○	○
Saltwater option / re-circulated water option	○	○	○
Foot support	○	○	○
External lighting	○	○	●
<b>TECHNICAL SPECIFICATIONS</b>			
Utility bath volume	220 l		
Dimensions: Length / Width / Height	2370 / 890 / 770 mm		
Main power supply	230 V / 50 Hz		

● – standard    ○ – optional



Omega 10  
Deluxe



Omega 20  
Deluxe



Omega 30  
Deluxe

MULTI-ZONE  
THERAPY  
SYSTEM FOR  
COMFORTABLE  
MASSAGE





ONE-TOUCH STA

RT



# ALFA

## FULL-IMMERSION BATHS FOR ALL TYPES OF MEDICAL FACILITIES & SPAS




Hydromassage  
jets



Air massage jets



Ergonomic  
underwater  
massage



Carbonated  
water massage



Aromatherapy  
and bath  
additives



Colour therapy

# FOR ALL THERAPEUTIC AND RESTORATIVE PROCEDURES

## POWERFUL MASSAGE SYSTEMS



### MAIN FEATURES & OPTIONS

- ◇ Comfortable operation using the colour touch display or buttons
- ◇ Ergonomic underwater massage
- ◇ Multi-zone therapy system
- ◇ 'Hot-keys' for frequently used therapies
- ◇ Pre-set therapy protocols
- ◇ Suitable for different kinds of water: Fresh, salt, carbonated or re-circulated
- ◇ Automatic disinfection programme
- ◇ High-quality acrylate bath surface for easy cleaning
- ◇ LED lighting of bath exterior
- ◇ Developed for reliability and long life

### HYDROMASSAGE

- ◇ Up to 8 water jets and 30 micro-jets
- ◇ Up to 4 hydromassage zones:
  - Soles of the feet
  - Lower limbs, outer calves and knees
  - Buttocks, thighs and hips
  - Back, upper limbs and shoulders

### AIR MASSAGE

- ◇ Up to 122 air massage jets
- ◇ Up to 2 air massage zones:
  - Lower limbs
  - Hips and buttocks

Model	ALFA 10	ALFA 20	ALFA 30	ALFA 40	ALFA 50	ALFA 60	ALFA 70
Specifications			ALFA 30 Deluxe	ALFA 40 Deluxe		ALFA 60 Deluxe	ALFA 70 Deluxe
<b>HYDROMASSAGE</b>							
Number of hydromassage jets			4	8		8	8
Number of hydromassage micro-jets			12	24		24	30
Hydromassage of the following body zones:			4 zones	4 zones		4 zones	4 zones
Soles of the feet			1	1		1	1
Lower limbs			2	2		2	2
Outer calves and knees			3	3		3	3
Buttocks			3	3		3	3
Outer thighs and hips			4	4		4	4
Lower and upper back			4	4		4	4
Upper limbs and shoulders							
Regulation of hydromassage intensity			●	●		●	●
Hydromassage with added air			●	●		●	●
<b>AIR MASSAGE</b>							
Number of air massage jets					122	104	122
Air massage of the following body zones:					1 zone	2 zones	2 zones
Lower limbs					1	1	1
Hips and buttocks						2	2
Regulation of air massage intensity					●	●	●
<b>UNDERWATER MASSAGE</b>							
		●	○	○	○	○	○
<b>CARBONATED WATER BATH (CO<sub>2</sub> saturator)</b>							
	●	○	○	○	○	○	○
<b>STANDARD SPECIFICATIONS &amp; OPTIONS</b>							
Water level indicator with acoustic signaling	●	●	●	●	●	●	●
High water temperature indicator	●	●	●	●	●	●	●
Slide-in shower	●	●	●	●	●	●	●
Thermostatic mixing tap	○	○	○	○	○	●	●
Saltwater option /re-circulated water option	○	○	○	○	○	○	○
Foot support	○	○	○	○	○	○	○
External lighting	○	○	○	○	○	○	○
<b>DELUXE LINE SPECIFICATIONS &amp; OPTIONS</b>							
LCD touch display 5.7"			● (Deluxe)	● (Deluxe)		●	●
Water filling & bath temperature indicator			● (Deluxe)	● (Deluxe)		●	●
Automatic bath filling and emptying			● (Deluxe)	● (Deluxe)		●	●
Thermostatic mixing tap			● (Deluxe)	● (Deluxe)		●	●
'Hot-keys' for frequently used programmes			● (Deluxe)	● (Deluxe)		●	●
Automatic drying of air massage jets						●	●
Colour therapy option (Chromatotherapy)			○ (Deluxe)	○ (Deluxe)		○	○
Music option (Built-in sound system)			○ (Deluxe)	○ (Deluxe)		○	○
Automatic disinfection programme			○ (Deluxe)	○ (Deluxe)		○	○
<b>TECHNICAL SPECIFICATIONS</b>							
Utility bath volume	280 l						
Dimensions: Length / Width / Height	2400 / 980 / 900 mm						
Main power supply	230 V / 50 Hz						

● – standard ○ – optional



ALFA 10

ALFA 20

ALFA 30  
DeluxeALFA 40  
Deluxe

ALFA 50

ALFA 60  
DeluxeALFA 70  
Deluxe



DEVELOPED  
FOR FREQUENT  
USE

# DELTA


## FULL-IMMERSION BATHS WITH LOWER WATER VOLUME & OPERATIONAL COSTS



Hydromassage  
jets



Air massage jets



Carbonated  
water massage



Aromatherapy  
and bath  
additives



Colour therapy

# FOR ALL TYPES OF MEDICAL FACILITIES & SPAS

## ERGONOMICALLY-SHAPED



### MAIN FEATURES & OPTIONS

- ◇ Utility bath volume of only 220 litres
- ◇ Easily-accessible even for people with lower mobility
- ◇ Comfortable operation using the colour touch display or buttons
- ◇ Ergonomic underwater massage
- ◇ Multi-zone therapy system
- ◇ 'Hot-keys' for frequently used therapies
- ◇ Pre-set therapy protocols
- ◇ Suitable for different kinds of water: Fresh, salt, carbonated or re-circulated
- ◇ Automatic disinfection programme
- ◇ High-quality acrylate bath surface for easy cleaning
- ◇ LED lighting of bath exterior
- ◇ Developed for reliability and long life

### HYDROMASSAGE

- ◇ Up to 4 water jets and 38 micro-jets
- ◇ Up to 4 hydromassage zones:
  - Soles of the feet
  - Lower limbs, calves and knees
  - Buttocks, thighs and hips
  - Back, upper limbs and shoulders

### AIR MASSAGE

- ◇ Up to 122 air massage jets
- ◇ Up to 2 air massage zones:
  - Lower limbs
  - Hips and buttocks

Model	DELTA 10	DELTA 20	DELTA 30	DELTA 40	DELTA 50 Deluxe
Specifications			DELTA 30 Deluxe	DELTA 40 Deluxe	DELTA 50 Deluxe
<b>HYDROMASSAGE</b>			●	●	●
Number of hydromassage jets					4
Number of hydromassage micro-jets			38	38	38
Hydromassage of the following body zones:			1 zone	4 zones	4 zones
Soles of the feet			1	1	1
Lower limbs				2	2
Outer calves and knees				3	3
Inner calves and knees				4	4
Buttocks					
Outer thighs and hips					
Lower and upper back					
Upper limbs and shoulders					
Regulation of hydromassage intensity			●	●	●
Hydromassage with added air			●	●	●
<b>AIR MASSAGE</b>		●		●	●
Number of air massage jets		122		122	122
Air massage of the following body zones:		1 zone		1 zone	2 zones
Lower limbs		1		1	1
Hips and buttocks					2
Regulation of air massage intensity		●		●	●
<b>UNDERWATER MASSAGE</b>		○	○	○	○
<b>CARBONATED WATER BATH (CO<sub>2</sub> saturator)</b>	●	○	○	○	○
<b>STANDARD SPECIFICATIONS &amp; OPTIONS</b>					
Water level indicator with acoustic signaling	●	●	●	●	●
High water temperature indicator	●	●	●	●	●
Slide-in shower	●	●	●	●	●
Thermostatic mixing tap	○	○	○ (Deluxe)	○ (Deluxe)	●
Saltwater option / re-circulated water option	○	○	○	○	○
Foot support	○	○	○	○	○
External lighting	○	○	○	○	○
<b>DELUXE LINE SPECIFICATIONS &amp; OPTIONS</b>					
LCD touch display 5.7"			● (Deluxe)	● (Deluxe)	●
Water filling & bath temperature indicator			● (Deluxe)	● (Deluxe)	●
Automatic bath filling and emptying			● (Deluxe)	● (Deluxe)	●
Thermostatic mixing tap			● (Deluxe)	● (Deluxe)	●
'Hot-keys' for frequently used programmes			● (Deluxe)	● (Deluxe)	●
Automatic drying of air massage jets				● (Deluxe)	●
Colour therapy option (Chromatherapy)			○ (Deluxe)	○ (Deluxe)	○
Music option (Built-in sound system)			○ (Deluxe)	○ (Deluxe)	○
Automatic disinfection programme			○ (Deluxe)	○ (Deluxe)	○
<b>TECHNICAL SPECIFICATIONS</b>					
Utility bath volume	220 l				
Dimensions: Length / Width / Height	2370 / 890 / 770 mm				
Main power supply	230 V / 50 Hz				

● – standard ○ – optional



DELTA 10



DELTA 20

DELTA 30  
DeluxeDELTA 40  
DeluxeDELTA 50  
Deluxe

SPECIAL  
ATTENTION GIVEN  
TO EVERY SINGLE  
COMPONENT



# ZETA & THETA

## FOR UPPER & LOWER EXTREMITIES



ZETA

### MAIN FEATURES

- ◇ Comfortable operation using LED display and buttons
- ◇ Automatic bath filling
- ◇ Developed for reliability and long life
- ◇ High-quality acrylate bath surface for easy cleaning
- ◇ Blue LED lighting of bath exterior

Model	ZETA 10	ZETA 20
<b>HYDROMASSAGE</b>	●	●
Number of hydromassage micro-jets	10	10
Regulation of hydromassage intensity		●
<b>STANDARD SPECIFICATIONS &amp; OPTIONS</b>		
LED display for therapy time setting		●
Digital thermometer		●
Automatic bath filling		●
Continual, pulsed or sinus hydromassage mode		●
External lighting (Blue LED)		○
<b>TECHNICAL SPECIFICATIONS</b>		
Dimensions	950 x 935 x 695 mm	
Utility bath volume	25 l	
Main power supply	230 V / 50 Hz	

# ERGONOMICALLY-SHAPED

## LOW WATER CONSUMPTION

### HIGHLY-EFFECTIVE FOR POST OPERATIVE & POST-TRAUMATIC CONDITIONS



THETA

#### MAIN FEATURES

- ◇ Ergonomically-shaped - 2 different positions of the patient
- ◇ Comfortable operation using LED display and buttons
- ◇ Automatic bath filling - 2 water levels for ankles or knees
- ◇ Developed for reliability and long life
- ◇ High-quality acrylate bath surface for easy cleaning
- ◇ Blue LED lighting of bath exterior

Model	THETA 10	THETA 20
<b>HYDROMASSAGE</b>	●	●
Number of hydromassage micro-jets	6	12
Hydromassage body zones	1	2
Regulation of hydromassage intensity		●
<b>STANDARD SPECIFICATIONS &amp; OPTIONS</b>		
LED display for therapy time setting		●
Digital thermometer		●
Automatic bath filling – 2 water levels		●
Continual, pulsed or sinus hydromassage mode		●
Air massage		○
Anal jet for hemorrhoids treatment		○
External lighting (Blue LED)		○
<b>TECHNICAL SPECIFICATIONS</b>		
Dimensions	880 x 693 x 1430 mm	
Utility bath volume	140 l	80 / 140 l
Main power supply	230 V / 50 Hz	

# BETA

## FOR LOWER EXTREMITIES



### MAIN FEATURES

- ◇ Anatomically shaped for foot treatment
- ◇ Comfortable operation using LED display and buttons
- ◇ Automatic bath filling
- ◇ Easily accessible even for people with lower mobility

Model	BETA 10	BETA 20
<b>HYDROMASSAGE</b>	●	●
Number of hydromassage micro-jets	14	14
Regulation of hydromassage intensity		●
<b>STANDARD SPECIFICATIONS &amp; OPTIONS</b>		
LED display for therapy time setting		●
Digital thermometer		●
Automatic bath filling		●
Continual, pulsed or sinus hydromassage mode		●
Air massage		○
<b>TECHNICAL SPECIFICATIONS</b>		
Dimensions	920 x 920 x 600 mm	
Utility bath volume	65 l	
Main power supply	230 V / 50 Hz	



# KAPPA

## THE NEXT GENERATION OF MASSAGE BATH


### MAIN FEATURES

- ◇ Wide inner space - specially designed for underwater massage
- ◇ Extra-large volume - max. 450 l of water
- ◇ Comfortable operation using LED display and buttons
- ◇ Developed for reliability and long life
- ◇ Blue LED lighting of bath exterior

Model	KAPPA 10	KAPPA 20
Underwater massage	●	●
Hydromassage	○	●
Number of hydromassage jets+micro-jets	6+6	8+24
Hydromassage body zones	1	2
Regulation of hydromassage intensity		●
Hydromassage with added air	○	●
Air massage	○	○
Number of air massage holes (jets)	210 (30)	210 (30)
Regulation of air massage intensity		○
LED display for therapy time setting		●
Digital thermometer	optionally analogue	●
Automatic bath filling		●
Continual, pulsed or sinus hydromassage mode		●
<b>OPTIONAL ACCESSORIES</b>		
Saltwater option	○	○
Re-circulated water option	○	○
Carbonated water option	○	○
External lighting (Blue LED)		○
<b>TECHNICAL SPECIFICATIONS</b>		
Dimensions	2490 x 980 x 900 mm	
Max./ Utility bath volume	450 / 375 l	
Main power supply	230 V / 50 Hz	



# OF UNDERWATER



# BALNEO BATH

## STAINLESS STEEL BATH FOR MINERAL OR CO<sub>2</sub> WATER BATH



### MAIN FEATURES

- ◇ High-quality stainless steel surface for long-life using
- ◇ Suitable for different kinds of water – fresh, salt, mineral, carbonated (CO<sub>2</sub>), mud, etc.

Model	BTL-3000 Balneo bath	BTL-3000 Balneo bath with integrated bar
Hot water tap		●
Cold water tap		●
Slide-in shower with tap		●
Side tap for drain	●	●
CO <sub>2</sub> water massage	●	●
<b>TECHNICAL SPECIFICATIONS</b>		
Dimensions	1599 x 693 x 647 mm	1893 x 693 x 647 mm
Utility bath volume	230 l	



